



# BEST PRACTICES FOR MANAGING COUGH IN PH PATIENTS RECEIVING INHALED THERAPIES

## *SUPPLEMENTAL INFORMATION*


Stephen Sallee<sup>1</sup>, Meagan Chavarria<sup>2</sup>, Christina M. Eagan<sup>3</sup>, Emily Fedewa<sup>4</sup>, Jennifer Keeley<sup>5</sup>,  
Denise J. Lewis<sup>6</sup>, Jennalyn Mayeux<sup>7</sup>, Andrew Mintz<sup>8</sup>, Ellen Newton-Lovato<sup>9</sup>, Jordin Rice<sup>10</sup>,  
Kimberly H. Robinson<sup>11</sup>, Nicole Victor<sup>12</sup>, Mary Whittenhall<sup>13</sup>, Gina Nelson<sup>14</sup>, Sandy L. Nguyen<sup>14</sup>,  
Lee Ann McDowell<sup>14</sup>, Martha Kingman<sup>15</sup>

<sup>1</sup>Ascension St. Vincent Hospital, Indianapolis, IN, USA; <sup>2</sup>Houston Methodist Hospital, Houston, TX, USA; <sup>3</sup>University of Florida College of Medicine, Gainesville, FL, USA; <sup>4</sup>University of California San Francisco, San Francisco, CA, USA; <sup>5</sup>Allegheny General Hospital, Pittsburgh, PA, USA; <sup>6</sup>George Washington University Hospital, Washington, DC, USA; <sup>7</sup>University of Utah, Salt Lake City, UT, USA; <sup>8</sup>University of Rochester Medical Center, Rochester, NY, USA; <sup>9</sup>Washington University School of Medicine, St. Louis, MO, USA; <sup>10</sup>National Jewish Hospital, Denver, CO, USA (since March 2025, employee of Gossamer Bio, Inc., San Diego, CA, USA); <sup>11</sup>Norton Pulmonary Specialists, Louisville, KY, USA; <sup>12</sup>Advocate Christ Medical Center, Oak Lawn, IL, USA; <sup>13</sup>Pulmonary and Sleep Medicine Associates, E. Providence, RI, USA; <sup>14</sup>Gossamer Bio, Inc., San Diego, CA, USA; <sup>15</sup>Retired 2024 from UT Southwestern Medical Center, Dallas, TX, USA




Download your copy of  
the poster here

# VOTING RESULTS FOR BEST PRACTICE IDEAS: Communicating the Reasons for Cough




Results reflect the proportion of advisors that voted for each concept. GI, gastrointestinal; PH, pulmonary hypertension.

# VOTING RESULTS FOR BEST PRACTICE IDEAS: Setting Patient Expectations Regarding Cough Prior to Therapy Initiation



\*This idea was included in the voting poll twice; the two poll results for this idea were summed and used to calculate the percentage shown. Results reflect the proportion of advisors that voted for each concept. AE, adverse event; BID, twice daily.

# VOTING RESULTS FOR BEST PRACTICE IDEAS: Applying Specific Techniques to Manage/Mitigate Cough



Results reflect the proportion of advisors that voted for each concept. DPI, dry powdered inhaler; H2, histamine 2; PPI, proton pump inhibitor.